



VORNIA BIOMATERIALS

## Certificate of Analysis for Thiol-Modified Gelatin (type B)

PRODUCT CODE: Gel-SH010

LOT NUMBER: GelSH01 /16

EXPIRY DATE: 09/2017

### Quality Control Analysis

Characteristic	Specification	Result
Thiol content [mmol/g]	0.5 mmol/g	0.57 mmol/g
Purity [%]	>95%	98%
pH after rehydration in PBS	Neutral (6.5-7.5)	7.4
Appearance	White foam / powder	White foam
Water solubilisation time [min]	Should dissolve within 30 minutes	20 min under vortex

**NOTE:** This product is packaged in 2 mL clear glass vials under argon. Do not expose to air until use as crosslinking will begin spontaneously.

Name: Sigen A

Signature:

Date: 16.08.2016

## Vornia Bio-inks:

### Note:

Vornia Bio. Ltd. supplies two kinds of hyperbranched PEG-based multi acrylate polymers (HB-PEG-MAP): **HB-PEG-MAP-A (10K HB-PEG-MAP-A with more than 10 arms and 20K HB-PEG-MAP-A with more than 20 arms)** for fabricating chemical crosslinked hydrogels (in combination with Vornia's thiolated nature-derived biopolymers) and **HB-PEG-MAP-B (10K HB-PEG-MAP-B with more than 10 arms and 20K HB-PEG-MAP-B with more than 20 arms)** for UV fast curing hydrogels. Both of the two gelation systems possess good biocompatibility, excellent mechanical properties as well as fast and tunable gelation time (seconds to minutes) which make our polymers very promising materials for 3D-bioprinting.

Moreover, the molecular weight, branching degree and acrylate content of the polymers can be easily adjusted to meet the diversified demands of customers and co-operators.

Vornia Bio. Ltd. also supplies different types of nature-derived biopolymers:

High Mw thiolated hyaluronic acid (**HA-SH-High Mw**)

Low Mw thiolated hyaluronic acid (**HA-SH-Low Mw**)

Thiolated Gelatin type B (**Gel-SH**)

Methacrylated hyaluronic acid (**HA-MA**)

The substitution degree of functional group can be adjusted which can regulate the crosslinking degree, gelation time and stiffness of the hydrogel.

## Soft Type Materials:

### Gelation systems:

1. Chemical Cross linking Hydrogel System:

Gelation system	Component	Final Concentration	Properties
A	HB-PMAP-A	5-15%	Fast gelling, good cell compatibility
	HA-SH (high and low Mw)	0.5-1%	
B	HB-PMAP-A	5-15%	Fast gelling, good cell compatibility and cell adhesion
	Gelatin-SH (type B)	5-10%	

2. UV Curable Hydrogel System:

<b>Gelation system</b>	<b>Component</b>	<b>Final Concentration</b>	<b>Properties</b>
C	HB-PMAP-B	10-15%	Fast gelling, excellent mechanical performance
	Initiator (2959)	0.1%-1% (w/w)	
D	HA-methacrylate	5-10%	Fast gelling, excellent mechanical performance
	Initiator (2959)	0.1%-1% (w/w)	

### Nature-derived biopolymers:

#### 1. Thiolated HA

<b>Materials</b>	<b>Degree of substitution (%)</b>	<b>Free thiol fraction (%)</b>	<b>Free thiol content</b>
HA-SH-High Mw	50-60%	50-60%	1.0-1.2 mmol/g
HA-SH-Low Mw	60-80%	60-80%	1.2-1.6 mmol/g

#### 2. Thiolated Gelatin

<b>Materials</b>	<b>Degree of substitution (%)</b>	<b>Free thiol content</b>
Gelatin-SH (type B)	50-57%	0.57 mmol/g

#### 3. Thiolated Gelatin

<b>Materials</b>	<b>Degree of substitution (%)</b>	<b>Free MA content</b>
HA-MA	40%	0.92 mmol/g